

Outdoor Equipment Cabinet

20U 1200x650x600mm



► Product Introduction

The equipment cabinet is designed to house a variety of telecommunication equipments with 19" or 23" rack, they provide protection from vandalism, dust, snow and dripping water. The material can be made from galvanized steel, aluminum or stainless steel according to different demand. Air conditioner (options: Heat exchanger/TEC/Fan) is installed on cabinet for keeping a stable temperature inside cabinet so as to increase service life and stability of equipment.

► Product Feature

1. Attractive powder coat finish
2. 19" or 23" adjustable rack
3. Anti-theft four-point outdoor cabinet lock, excellent keyhole protection device
4. IP65 cabinet, walls and roof in double steel with high quality insulation
5. High performance Air-conditioning unit for heat removal
6. Door stopper to hold door open at service
7. Pass earthquake intensity 8 anti-seismic performance test
8. Support custom-made

► Applications

1. Telecommunication
2. Wireless/Broadband
3. Base station
4. Solar based installations
5. Wireless cell sites & switches
6. Transmission terminals
7. Data and Control
8. Transportation

Technical Parameters

Model	LAE1200
External Dimension(H*W*D)	1200x650x600 mm
Internal space	20U
Brand Name	Langji
Certification	ISO9001/ISO14001/CE/IP65/CCC/seismic certified
Material	Single wall Galvanized steel
Color	RAL7035 GREY/Custom
Door	One front door/Double doors
Lighting	AC 220V LED Lamp
Lock	3 point security lock
Equipment installation method	19" rack
Cable enter method	Bottom of the cabinet
Cooling	500W AC 220V 50HZ (options DC48V/110V 60HZ)
Working temperature	-5~55℃ without heater -40~55℃ with heater
IP Grade	IP65
Grounding protection	Cooper bar

Langji company reserves the right to technical data.

Tel: +86-512-67362669/66592668

Fax: +86-512-67362669/66592789

[Http://english.szlangji.com/](http://english.szlangji.com/)

<https://ljkcn.en.alibaba.com/>

Email: info@szlangji.com


Accessory List(options)

No.	Item	Specifications
1.	Fan	DC48V or AC 220V Fan,work at 35℃
2.	PDU	AC input ,with 8 sockets
3.	Heat Insulation	The heat insulation material is 10mm NBR.
4.	Door Sensor	Monitor door open status inside cabinet and provide real time alarm
5.	Built-in power supply	150A/200A/300A

Cooling System(Options)

No.	Item	Specifications
1.	Air conditioner	AC220V 500W
2.	Fan	DC48V or AC 220V

3D drawings



Langji company reserves the right to technical data.

Tel: +86-512-67362669/66592668


Fax: +86-512-67362669/66592789

[Http://english.szlangji.com/](http://english.szlangji.com/)

<https://ljkcn.en.alibaba.com/>

Email: info@szlangji.com

Details



4 point security lock




Cooper grounding bar



Door Sensor



DC 48V Led light



AC/DC FAN



AC Cabinet air conditioner



19 inch mounted 8 sockets outlet PDU,with EU standard plug

Langji company reserves the right to technical data.

Tel: +86-512-67362669/66592668 Fax: +86-512-67362669/66592789

[Http://english.szlangji.com/](http://english.szlangji.com/) <https://ljkcn.en.alibaba.com/>

Email: info@szlangji.com